

# RHINO ROCKWOOL FIRE SEAL BATTS



## PRODUCT DESCRIPTION

This Rockwool Insulation (Nichias) is made of inorganic fibres from volcanic rock and minerals bonded together by an organic binder. Using the latest and most advanced manufacturing technology from Japan, ensures consistent product quality, high fibre density and low shot content for excellent performance for high temperature, fire resistance and acoustic applications.

Product Code	Thickness (m)	Dimension (mm)	Pieces per Pack	Pack Contents
Rock-W-12 (10)	1.2	168 x 100	10	12 L/Mtrs Per Pack



## APPLICATIONS

Rockwool Party Wall Batts are specially manufactured to be friction fitted under compression for vertical applications on party walls. Rockwool Party Wall Batts act as a seal/gasket between the party wall and the roof construction providing up to a 2 hour fire protection level as required under the Building Codes.

Rockwool Party Wall Batts can be installed in a single layer or multiple layer but may require support. The product should be installed with a 15% compression to ensure stability and ensure it is installed without gaps.

## KEY BENEFITS

- Durable and light weight
- High fibre content
- Low shot content
- Non combustible
- Non corrosive
- Easily cut and formed
- Bio Soluble and safe to use product
- Low dust fallout
- ASTM C612 Mineral fibre block and board thermal insulation - type IV

Specification	Value
Density	70kg/m <sup>3</sup>
Non Combustibility	AS1530 Part 1 BS476 Part 4
Early Fire Hazard	AS1530 Part 3
Surface Burning Characteristic	ASTM E84
Corrosion Resistance	ASTM C795
Melting Point	1100°C
Water Absorption	Less than 0.2% by volume EN 1609

# RHINO ROCKWOOL

## THE ULTIMATE PROTECTION

Proudly Supplied by  
Thor Building Products P/L

☎ 1300 880 828

✉ sales@thorbuilding.com.au

🌐 www.thorbuilding.com.au

June 2020

Thor Building Products Pty Ltd reserves the right to change product specifications without prior notice. Information in this publication and otherwise supplied to users as to the subject product is based on our general experience and is given in good faith, but due to the many particular factors which are outside our knowledge and control and affect the use of products, no warranty is given or is to be implied with respect to either such information or the product itself, in particular the suitability of the product for any particular purpose. The purchaser should independently determine the suitability of the product for the intended application. For the most current version of this publication refer to our website <https://thorbuilding.com.au/downloads>.