



SAFETY DATASHEET

Rhino Foam 75 Anti Glare Thermal Break

1. Identification of the Material and Supplier

Product Name:	Rhino Foam 75 Anti Glare Thermal Break
Other Names:	Rhino Foam 75 AG, RF-75 TB, RF-75 AG
Recommended Use:	Thermal insulation and sarking membranes
Supplier:	Thor Building Products Pty Ltd
Address:	293 Earnshaw Rd, Northgate, Qld, 4013
Telephone	1300 880 828
Facsimile:	07 3246 2200
Manufacturer:	Green Insulation Pty Ltd
Emergency Contact:	07 3200 6522
Website:	www.thorbuildingproducts.com.au
Important Notice:	This Safety Datasheet (SDS) is issued by the Supplier in accordance with the code and guidelines from the Australian Safety and Compensation Council (ASCC, formally National Occupational Health and Safety Commission NOHSC). The information in this must not be altered, deleted or added to. The Supplier will not accept any responsibility for any changes made to its SDS by any other person or organisation. The Supplier will issue a new SDS when there is a change in the product specifications and/or ASCC standers, guidelines or regulations.

2. Hazards Identification

STATEMENT OF HAZARDOUS NATURE: Not classified as Hazardous according to the criteria of the Australian Safety and Compensation Commission ASCC (formerly NOHSC) Approval Criteria for Classifying Hazardous Substances [NOHSC:1008] 3rd. Edition. Classified as Non-Dangerous Goods under relevant State and Commonwealth Legislation. Risk and safety phrases are not applicable to this product.

3. Composition/Information on Ingredients

Ingredient	Proportion	CAS Number
POLYETHYLENE	<80%	9002-88-4
ALUMINIUM FOIL	<20%	7429-90-5



SAFETY DATASHEET

4. First Aid Measures

Swallowed:	Unlikely under normal conditions of use. Swallowing may result in mild irritation of mouth and throat.
Eyes:	Flush thoroughly with flowing water. If symptoms such as irritation or redness persist, seek medical attention.
Skin:	No skin reaction would be expected from contact with the product.
Inhaled:	(Applies to fumes or smoke from overheating) Remove to fresh air. If symptoms persist, seek medical attention.
Advice to Doctor:	Treat symptomatically.

5. Fire Fighting Measurements

Specific Hazards:	Not flammable - delaminates above 80 °C.
Extinguishing Media:	Use extinguishing media and equipment as required for fire fighting in surrounding materials.
Firefighting Procedures:	If product is present in a fire, some smoke and toxic gasses may be evolved. Wear protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire.

6. Accidental Release Measures

Spillage:	Not available.
------------------	----------------

7. Storage and Handling

Storage:	Keep in a dry sheltered environment. Keep away from element.
Incompatibilites:	Not available.

8. Exposure Controls/Personal Protection

Exposure Standards:	Not applicable.
Personal Protection:	See Australian Standards for more information.
Skin Protection:	Protective gloves. See Australian Standards AS 2161 and 2919 and NS/NZS 2210 for more information.
Eye Protection:	Safety glasses. See Australian Standards AS 1336 and AS/BZS 1337 for more information.
Respiratory Protection:	None required under normal usage. See Australian Standards AS/NZS 1715 and 1716 for more information.



SAFETY DATASHEET

9. Physical and Chemical Properties

Appearance:	Air bubbles layer sandwich between aluminium foiled with protected polymer coating on one side.
Odour:	Not applicable.
pH:	Not applicable.
Boiling Point:	Not applicable.
Melting Point:	140 °C.
Flammability Limits:	Not applicable.
Flash Point:	Not applicable.
Vapour Density:	Not applicable.
Vapour Pressure:	Not applicable.
Evaporation Rate:	Not applicable.
Explosive Properties:	Not applicable.
Solubility in water:	Insoluble in water.
Specific Gravity:	Not applicable.

10. Stability and Reactivity

Chemical Stability:	Stable.
Incompatible Materials:	None.
Conditions to Avoid:	Store away from elements. Temperature over 100 °C
Hazardous Polymerisation:	Not available.
Hazardous Decomposition Products:	Not available.

11. Toxicological Information

Toxicological data is not applicable to solid material.

12. Ecological Information

Ecotoxicity:	Not available.
Degradability:	Product would be expected to be of low bi-degradability.
Mobility:	Low mobility in landfill situation.

13. Disposal Considerations

Collect off-cuts and waste material. Dispose into a landfill site in accordance with relevant authority guidelines.



SAFETY DATASHEET

14. Transport Information

Transportation Requirements:	Not Classified as dangerous good according to the Australian Code for the Transport of Dangerous goods by road or rail.
UN Number:	None allocated
Class:	None allocated
Subsidiary Risk:	None allocated
Packing Group:	None allocated
Hazchem Code:	None allocated
DG Class:	None allocated
EPG:	None
Incompatibilities:	None
Shipping Name:	None allocated
Marine Pollutant:	No

15. Regulatory Information

Poisons Schedule:	Not available.
--------------------------	----------------

16. Other Information

Additional Information	Insulation Council of Australia and New Zealand: www.icanz.org.au Poisons Information Centre 13 11 26 (Australia Wide) National Code of Practice for the Preparation of Material Safety Data Sheets 2nd Edition [NOHSC:2011 (2003)], April 2003 National Code of Practice For The Labelling of Workplace Substances [NOHSC:2012 (1994)], March 1994, Australian Government Publishing Service, Canberra.
-------------------------------	--

The information in the MSDS is presented in good faith and believed to be accurate as of the issue date. However, no warranty, expressed or implied is given. Regulatory requirements are subject to change and may differ from one location to another. It is the buyers' responsibility to ensure activities comply with relevant Federal, State and Local Government laws.



SDS DATE | December 07/12/2016 | **Supersedes Date** | March 29, 2016

END of Report